Code: 12457

Print Date: 17 September 2012

SAFETY DATA SHEET Ferqueztene

1 - IDENTIFICATION OF THE SUBSTANCE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier			
Chemical name:	Iron EDDHA		
Trade name:	Ferqueztene		
Synonyms:	Ethylendiamine-N-N'-bis (2-hydroxy) phenylacetic acid sodium ferric complex		
CAS Registry number:	84539-55-9		
EINECS No:	283-044-5		
Index No.:	N.A		
Registration number:	N.A.		
Molecular weight:	435.17		
Formula:	C18H16FeN2O6.Na		
1.2 Relevant identified uses of the substance and	uses advised against		
Relevant identified uses of the substance:	Fertiliser		
1.3 Details of the supplier of the safety data sheet			

2 - HAZARDS IDENTIFICATIONS

2.1 Classification of the substance:

Classification according to Regulation (EC) No 1272/2008:

Not classified as dangerous

Classification according to Directive 67/548/EEC:

Not classified as dangerous

Most important adverse physicochemical, human health and environmental effects:

see sections from 9 to 12.

2.2 Label Elements:

Hazard pictograms: none

Code: 12457

Print Date: 17 September 2012

Signal word: none

Hazard statements: none
Precautionary statements: none

2.3 Other hazards:

None

3 - COMPOSITION/INFORMATION ON INGREDIENTS

Name	N° EINECS	CAS NUMBER
Iron - EDDHA	283-044-5	84539-55-9

4 - FIRST AID MEASURES

4.1 Description of first aid measures

Routes of exposure:

- Inhalation:

Well ventilate the area and go to the open space.

- Skin:

Take off all contaminated clothing. Rinse abundantly with water and soap. Seek medical advice in case of irritation. Wash clothes before reuse.

Eye:

Rinse immediately and abundantly with water for at least 10 minutes. Eyelids should be held away from the eyeball to ensure thorough rinsing. Seek medical advice if the irritation spreads out

Ingestion:

Rinse mouth, give water to drink, induce vomiting. If the subject is unconscious do not induce vomiting. Seek medical advice

Advice:

Who provides the first medical aide must use the individual protection equipment (latex gloves and safety glasses).

4.2 Most important symptoms and effects, both acute and delayed

Inhalation:

Possible irritation of respiratory tract

- Skin

Possible irritation according to the contact time with the product

- Eye:

Possible irritation according to the contact time with the product

Ingestion:

Possible irritation of mouth and digestive tract.

4.3 Indication of any immediate medical attention and special treatment needed

In case of accident, seek immediately medical advice showing the safety data sheet

5 - FIREFIGHTING MEASURES

5.1 Extinguishing media

Code: 12457

Print Date: 17 September 2012

Suitable extinguishing media:

Water spray, foam, carbon dioxide (CO2),

Information on the appropriate extinguishing media:

Not relevant

Unsuitable extinguishing media:

None

Indications if extinguishing media are inappropriate for a particular situation involving the substance or mixture:

None

5.2 Special hazards arising from the substance:

In case of fire avoid to breath fumes, it may release toxic fumes (NOx, SOx)

5.3 Advice for firefighters

In case of fire and in close proximity wear the protective clothes heat resistant and air respiratory equipment

6 - ACCIDENTAL RELEASE MEASURE

6.1 Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel:

No action shall be taken involving any personal risk or without suitable training.

Wear protective clothes giving a total skin protection, latex gloves and safety glasses.

Keep away from the affected area people not involved in the emergency intervention.

Ensure adequate ventilation, move people in a safe place.

Alert the internal emergency team.

- For emergency responders:

Wear protective clothes giving a total skin protection, latex gloves and safety glasses.

See protective measures under point 7 and 8.

Avoid dust generation.

Dusts at sufficient concentrations can form explosive mixtures with air

Avoid any accumulation of electrostatic charge which may create a hazardous condition and cause an ignition.

Product layer on hot surface might cause glowing or auto-ignition

Ensure adequate ventilation, move people in a safe place.

6.2 Environmental precautions:

If possible store into a clean container either to reuse or disposal. Avoid waterway and discharging contamination, competent authority must be informed in case of waterway accidental contamination

6.3 Methods and material for containment and cleaning up:

Any release should be immediately cleaned up wearing protective clothes(suit, latex gloves and safety glasses).

If possible store into a clean container either to reuse or disposal. If possible absorb with the inert material

After store, wash the area with water and suitable materials

6.4 Reference to other sections:

referred to Sections 8 and 13

Code: 12457

Print Date: 17 September 2012

7 - HANDLING AND STORAGE

7.1. Precautions for safe handling

Avoid powder inhalation

Avoid direct contact with skin and eyes. See the following section 8.

Remove all protective clothing before access to the areas where you eat Always respect hygienic rules, do not drink neither eat in the working areas

7.2 Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a well-ventilated place far from humidity and heat source.

Adequately ventilated premises.

Avoid dust generation.

keep in original plastic packaging in well-ventilated area away from moisture, heat sources, and direct sunlight

Dusts at sufficient concentrations can form explosive mixtures with air

Avoid any accumulation of electrostatic charge

7.3 Specific end use(s)

None

8 - EXPOSURE CONTROL/ PERSONAL PROTECTION

8.1 Control parameters

Occupational exposure limit values:

National :N.A. EU:N.A.

ACGIH

Substance name	TLW-TWA (mg/m3)	TLV-STEL (ppm)	note	critical effects
Iron soluble salts	1	N.D.	N.D.	Irritation respiratory system and skin

Biological limit values: N.A.

DNEL: N.A. PNEC: N.A.

Recommended monitoring procedures: N.A.

8.2 Exposure control

Appropriate engineering controls:

Operate in well-ventilated areas

Individual protection measures, such as personal protective equipment:

The personal protective equipment must be compliant to the regulation UNI -EN in force

Eye / face protection:

Wear safety glasses according to the standard EN 166, don't use contact lenses.

Skin protection:

-Hand protection:

Wear latex gloves according to the standard EN 374.

-Other:

Wear total skin protection clothes

Respiratory protection:

Code: 12457

Print Date: 17 September 2012

Use anti-powder mask with P2 filters in case of dust making. The powder exposition limit must be respected

- Environmental exposure controls:

Keep the product concentration under the exposure limits established by the law

9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearence (25°C):	Black	
1	microgranules	11/10
Odour:	Odourless	11111111
Odour threshold:	N.A.	1111111
pH:	N.A.	at 25 °C
Melting point/freezing point:	N.A.	4444444
Initial boiling point and boiling range:	N.A.	
Flash point:	N.A.	44444444444
Evaporation rate:	N.A.	1774444
Flammability (solid, gas):	N.A.	HHITTI
Upper/lower flammability or explosive limits:		
Vapour pressure:	N.A.	
Vapour density:	N.A.	
Relative density:	0.67	Kg/dm3
Solubility: - Solubility in water: - Lipid solubility:	50 N.A.	g/l at 25℃
Partition coefficient: n-octanol/water	N.A.	
Auto-ignition temperature:	N.A.	3//////////////////////////////////////
Decomposition temperature:	N.A.	3/1/11/1////
Viscosity:	N.A.	
Explosive properties:	N.A.	
Oxidising properties:	N.A.	WARRIED TO
9.2 Other information		
pH water solution 1%	8.7	at 25 °C
Conductivity	0.51	(1‰) mS/cm 18 ℃

10 - STABILITY AND REACTIVITY

10.1 Reactivity:		
Reacts with strong oxidizing agents		
10.2 Chemical stability:		
Stable at the usual work condition		
10.3 Possibility of hazardous reactions:	EX.	10000

Code: 12457

Print Date: 17 September 2012

Contact with strong oxidizing agents induces violent reactions

10.4 Conditions to avoid:

Heating of the product at high temperatures

Dusts at sufficient concentrations can form explosive mixtures with air

Avoid any accumulation of Electrostatic charge which may create a hazardous condition and cause an ignition.

10.5 Incompatible materials:

Strong oxidizing agents

10.6 Hazardous decomposition products:

In case of fire may release toxic fumes (NOx, SOx)

11 - TOXICOLOGICAL INFORMATION

Toxicological (health) effects caused by exposure to the substance: see also sections 2 and 4.

11.1 Information on toxicological effects

acute toxicity:

not available data

skin corrosion/irritation:

not available data

serious eye damage/irritation:

not available data

respiratory or skin sensitisation:

not available data

germ cell mutagenicity:

not available data

Carcinogenicity:

not available data

reproductive toxicity:

not available data

STOT-single exposure:

not available data

STOT-repeated exposure

not available data

aspiration hazard:

not available data

Information on likely routes of exposure:

Inhalation: can be irritant for nose and respiratory system

Skin: can be irritant for skin Eye: can be irritant for eyes

Ingestion: can be irritant for mouth and digestive tract

Other informations:

N.A.

12 - ECOLOGICAL INFORMATION

Use according to good working rules, avoid to dispose of the product in the environment (see sections 6, 7, 13,14 e 15).

Code: 12457

Print Date: 17 September 2012

12.1 Toxicity

N.A.

12.2 Persistence and degradability

N.A.

12.3 Bioaccumulative potential

N.A.

12.4 Mobility in soil

N.A.

12.5 Results of PBT and vPvB assessment

N.A.

12.6 Other adverse effects

N.A.

13 - DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Recover the product, if possible, or send to the incineration and disposal system.

Avoid waterway and discharging contamination.

Follow the local and national disposition in force

14 - TRANSPORT INFORMATION

Not dangerous product within the meaning of transport regulations

15 - REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance

Council Directive 67/548/EEC (Classification, packaging and labelling of dangerous substances) and subsequent amendments. Council Directive 1999/45/EC (Classification, packaging and labelling of dangerous preparations) and subsequent amendments. Regulation (EC) nr 1272/2008 (CLP). Commission Directive 98/24/EC (Protection of the health and safety of workers from the risk related to chemical agent). Commission Directive 2000/39/EC ocupational exposure limit values).

Regulation (EC) No 1907/2006 (REACH).

15.2. Chemical safety assessment

N.A.

16 - OTHER INFORMATION

This MSDS was revised to get it compliant to regulation 453/2010 and cancels and replaces any preceding release.

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely

to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific

Code: 12457

Print Date: 17 September 2012

use intended.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold ACGIH - Threshold Limit Values - 2004 edition

ESIS

Acronyms used in the safety data sheet:

ADN: Accord europeen relative au transport international des marchandises dangereuses par voies de navigation interieures

ADR: Accord europeen relative au transport International des marchandises dangereuses par route

ACGIH: American Conference of Governmental Industrial Hygienist

LC50: Lethal concentration 50(Lethal Concentration for the 50% of the individuals)

CLP: Classification, Labelling and Packaging

CSR: Chemical Safety Report

LD 50: Lethal Dose 50 ((Lethal dose for the 50% of the individuals)

DNEL: Derived No effect level

IARC: International Agency for Research on Cancer

IATA: International air transport association
ICAO: International Civil aviation Organization

Codice IMDG: International Maritime Dangerous Goods code

PBT: Persistent, bioaccumulative and toxic PNEC: Predicted No Effect Concentration

RID: Reglement concernent le transport International ferroviarie des marchandises dangereuses

STEL: short term exposure limit TLV: threshold limit value TWA: Time Weighted Average

UE: European Union (Unione europea) vPvB: Very persistent very bioaccumulative

N.A.: not available